Author Index

Aantaa R *see* Kirvelä O
Abdulatif M *see* Naguib M
Abiad M *see* Cornet JP
Agoston S. Interactions of volatile anaesthetics with rocuronium bromide in perspective, Supp. 9, 107
Aitken K *see* Sury MRJ
Al-Ghamdi A *see* Naguib M
Albaladejo P, Jugan E, Descorps-Declere A, Jayais P & Ecoffey C. Whole body oxygen uptake is not a good indicator of liver allograft function following orthotopic liver transplantation, 201
Alexander JI *see* Lowson SM
Allen RW *see* O'Hanlon J
Alvarez J *see* Blanco J
Alvarez-Gomez JA, Estelles ME, Fabregat J, Perez F & Brugger AJ. Pharmacokinetics and pharmacodynamics of rocuronium bromide in adult patients, Supp. 9, 53
Anderson KA *see* Muir AW

Bach A *see* Motsch J
Bajwa R *see* Tempe D
Baldo BA *see* Fisher M
Bambridge AD *see* Lowson SM
Banning AM *see* Sjøgren P
Barrie JR, Beatty PCW, Campbell IT & Healy TEJ. Determination of the onset of rebreathing in an enclosed afferent reservoir breathing system in anaesthetized, spontaneously breathing adults: a comparison of three methods, 187
Baum M *see* Hörmann Ch
Beatty PCW *see* Barrie JR
Benzer H *see* Hörmann Ch
Berge JA, Gramstad L & Grimnes S. An evaluation of a time-saving anaesthetic machine checkout procedure, 493
Bevan DR. Rocuronium bromide and organ function, Supp. 9, 87
Birkhahn A *see* Weiss M
Bischoff A *see* Mellinghoff H
Black AMS *see* Lowson SM
Black AMS, Wolf A, McKenzie IM, Tonkin PA, Inglis ST & Prys-Roberts C. Epidural infusions of sufentanil with and without bupivacaine: comparison with diamorphine-bupivacaine, 285
Blanco E *see* Blanco J
Blanco J, Blanco E, Rodríguez G, Castro A & Alvarez J. One year's experience with an acute pain service in a Spanish University Clinic hospital, 417
Böhrer H *see* Motsch J
Booij LHDJ *see* Robertson EN
Booij LHDJ. A dose finding study with rocuronium bromide, Supp. 9, 16
Böttiger BW *see* Motsch J
Boyd AH *see* Thomas SD
Brochard L. Inspiratory pressure support, 29
Brockerhoff P *see* Krissel J
Brown JL *see* Sury MRJ
Brugger AJ *see* Alvarez-Gomez JA
Brynjolf I *see* Qvist J
Buchheit W *see* Wendling W
Buhl R *see* Weiss M
Bünemann L, Thorshauge H, Herlevsen P, Iversen AD & Nielsen FB. Analgesia for outpatient surgery: placebo versus naproxen sodium (a non-steroidal anti-inflammatory drug) given before or after surgery, 461
Burchardi H & Kaczmarczyk G. The effect of anaesthesia on renal function, 163
Burchardi H & Sydow M. Artificial ventilation: some unresolved problems, 53
Buzello W *see* Mellinghoff H

Cameron EM, Lison A, Moorman R & Young JD. Prolonged neuromuscular blockade with pipecuronium in a patient with renal insufficiency, 237
Campbell IT *see* Barrie JR
Camu F *see* D'Haese J
Castro A *see* Blanco J
Christensen CB *see* Sjøgren P
Christiansen C *see* Naesh O
Clarke RSJ *see* Mirakhur RK
Cooper A *see* Tempe D
Cooper AR *see* Mirakhur RK
Cooper AR, Wierda JMKH, Mirakhur RK & Maddineni VR. Pharmacodynamics and pharmacokinetics of rocuronium bromide in patients with and without renal failure, Supp. 9, 82

Coriat P *see* Cornet JP
Cornet JP, Abiad M, Coriat P, Saada M, Gosgnach ML & Viars P. Evaluation of the effects of rocuronium bromide on haemodynamics and left ventricular function in patients undergoing abdominal aortic surgery, Supp. 9, 78
Crespi AM *see* De Gasperi A
Cristalli A *see* De Gasperi A
Crozier TA, Langenbeck M, Müller J, Kietzmann D, Sydow M & Kettler D. Total intravenous anaesthesia with sufentanil-midazolam for major abdominal surgery, 449
Crul JF *see* van Aken H
Curran JP *see* Elliott RH

Daugherty MO *see* Peden CJ
D'Haenen HAH *see* D'Haese J
D'Haese J, Camu F, Dekeyzer PJ & D'Haenen HAH. Propofol and methohexitone anaesthesia: effects on the profile of mood state, 359
D'Honneur G *see* Khalil M
Dávalos R *see* Llobell F
De Gasperi A, Cristalli A, Noé L, Sabbadini D, Mazza E, Prosperi M, Fantini G, Crespi AM & Rezzani S. Fentanyl pre-treatment does not affect the pharmacokinetic profile of an induction dose of propofol in adults, 89
De Hys C *see* Khalil M
De Mey JC, Debrock M & Rolly G. Evaluation of the onset and intubation conditions of rocuronium bromide, Supp. 9, 37
de Wit L Th *see* Rademaker BMP
Debrock M *see* De Mey JC
Dekeyzer PJ *see* D'Haese J
Deruyter HA *see* Wouters PF
Descorps-Declere A *see* Albaladejo P
Devlin EG, Lavery GG & Lewis MA. Peripartum cardiomyopathy in a parturient with a ventricular septal defect, 241
Dick WF *see* Krissel J
Diefenbach C *see* Mellinghoff H
Donati F *see* Meistelman C
Duvaldestin P *see* Khalil M

Ecoffey C *see* Albaladejo P
Ecoffey C *see* O'Kelly B
Eichwede F *see* Meyer-Falcke A
Elliott RH, Graham SG & Curran JP. Sustained release metoclopramide for prophylaxis of post-operative nausea and vomiting, 465
Eriksson LI *see* Sparr HJ
Estelles ME *see* Alvarez-Gomez JA

Fabregat J *see* Alvarez-Gomez JA
Fajer S *see* Gurman GM
Falke KJ *see* Rossaint R
Fantini G *see* De Gasperi A
Feldman SA. Rocuronium—onset times and intubating conditions, Supp. 9, 49
Fiset P *see* O'Kelly B
Fisher M & Baldo BA. Anaphylaxis during anaesthesia: current aspects of diagnosis and prevention, 263
Fitzgerald R *see* Krafft P
Flameng W *see* Wouters PF
Fredman B, Husain MM & White PF. Anaesthesia for electroconvulsive therapy: use of propofol revisited, 423
Friis J *see* Naesh O

Gerlach H *see* Rossaint R
Gervais H *see* Krissel J
Giesecke AH *see* Over DC
Gomeni R *see* Khalil M
Gosgnach ML *see* Cornet JP
Graham SG *see* Elliott RH
Gramstad L *see* Berge JA
Grimnes S *see* Berge JA
Grond S *see* Mellinghoff H
Gunawardene WMS *see* Jones RDM
Gurman GM, Fajer S, Porat A, Schily M & Pearlman A. Use of EEG spectral edge as index of equipotency in a comparison of propofol and isoflurane for maintenance of general anaesthesia, 443

Haider W *see* Trubel W
Hampl KF & Schneider MC. Vasovagal asystole before induction of general anaesthesia, 131
Harada H *see* Ueda N
Harrison DA & Langham BT. Postdural-puncture headache: a comparison of the Sprotte and Yale needles in urological surgery, 325
Haverich A *see* Karck M
Healy TEJ *see* Barrie JR
Helmers JHJH, van Leeuwen L & Zuurmond WWM.

Sufentanil pharmacokinetics in young adult and elderly surgical patients, 181
Hennis PJ *see* van den Broek L
Herlevsen P *see* Bunemann L
Hertsig M *see* Nitschmann P
Himberg J-J *see* Kirvelä O
Hindberg I *see* Naesh O
Hommes FDM *see* Wierda JMKH
Hörmann Ch, Baum M, Putensen Ch, Mutz NJ & Benzer H. Biphasic positive airway pressure (BIPAP)—a new mode of ventilatory support, 37
Huemer G, Kolev N & Zimpfer M. Trans-oesophageal echocardiographic assessment of left ventricular systolic function: the anaesthesiologist's view, 437
Hull JM *see* Robertson EN
Husain MM *see* Fredman B

Inglis ST *see* Black AMS
Irwin MG *see* Jones RDM
Irwin MG, Jones RDM, Visram AR & Kornberg JP. A patient's experience of a new post-operative patient-controlled analgesic technique, 413
Iversen AD *see* Bünemann L

Jansing P-J *see* Meyer-Falcke A
Jayais P *see* Albaladejo P
Jimenez D *see* Wendling W
Jones RDM *see* Irwin MG
Jones RDM, Visram AR, Kornberg JP, Irwin MG, Roulson CJ & Gunawardene WMS. The effect of premedication on oxygen saturation during the post-premedication period in 20 Chinese children undergoing elective surgery, 307
Jugan E *see* Albaladejo P

Kaczmarczyk G *see* Burchardi H
Kalkman CJ *see* Rademaker BMP
Kanto J *see* Kirvelä O
Kapral S *see* Krafft P
Karck M & Haverich A. Heart transplantation under coumarin therapy: friend or foe?, 475
Karemaker JM *see* Scheffer GJ
Kashimoto S *see* Nonaka A
Katila A *see* Kirvelä O
Kettler D *see* Crozier TA
Khalil M, D'Honneur G, Duvaldestin P, Slavov V, De Hys C & Gomeni R. Pharmacokinetics and pharmacodynamics of rocuronium in patients with cirrhosis, Supp. 9, 85
Khanna SK *see* Tempe D
Khuenl-Brady KS *see* Sparr HJ
Khuenl-Brady KS, Pühringer F & Mitterschiffthaler G. Evaluation of cumulative properties of rocuronium bromide under halothane anaesthesia, Supp. 9, 25
Kietzmann D *see* Crozier TA
Kirvelä O, Katila A, Aantaa R, Kanto J & Himberg J-J. Metabolic and subjective responses to oral diazepam and midazolam, 365
Kolev N *see* Huemer G
Kornberg JP *see* Irwin MG
Kornberg JP *see* Jones RDM
Krafft P, Fitzgerald R, Pernerstorfer T, Kapral S & Weinstabl C. A new device for blind oral intubation in routine and difficult airway management, 207
Krauer F *see* Licker M
Krissel J, Dick WF, Leyser K-H, Gervais H, Brockerhoff P & Schranz D. Thiopentone, thiopentone/ketamine, and ketamine for induction of anaesthesia in Caesarean section, 115
Kumazawa T *see* Nonaka A

Laczkovics A *see* Trubel W
Lall NG *see* Tempe D
Langenbeck M *see* Crozier TA
Langham BT *see* Harrison DA
Laorden ML *see* Llobell F
Lavery GG *see* Devlin EG
Leuwer M *see* Motsch J
Lewis MA *see* Devlin EG
Leyser K-H *see* Krissel J
Licker M, Suter PM, Krauer F & Rifat NK. Metabolic response to lower abdominal surgery: analgesia by epidural blockade compared with intravenous opiate infusion, 193
Lison A *see* Cameron EM
Llobell F, Dávalos R & Laorden ML. Effects of pimobendan on isolated human right atria strips and on isolated left atria of the rat, 123
Lowson SM, Alexander JI, Black AMS & Bambridge AD. Epidural diamorphine infusions with and without 0.167% bupivacaine for post-operative analgesia, 345

Maddineni VR *see* Cooper AR
Maddineni VR *see* Mirakhur RK
Marcus MAE *see* Wouters PF
Marsch SCU *see* Staender S
Marshall RJ, Muir AW, Sleigh T & Savage DS. An overview of the pharmacology of rocuronium bromide in experimental animals, Supp. 9, 9
Martin E *see* Motsch J
Masuda Y *see* Ueda N
Matteo RS *see* Ornstein E
Mazza E *see* De Gasperi A
McKenzie IM *see* Black AMS
Meistelman C *see* O'Kelly B
Meistelman C, Plaud B & Donati F. A comparison of the neuromuscular blocking effects of rocuronium bromide at the *adductor pollicis* and laryngeal adductor muscles, Supp. 9, 33
Mellinghoff H, Diefenbach C, Bischoff A, Grond S & Buzello W. Dose-response relationship of rocuronium bromide during intravenous anaesthesia, Supp. 9, 20
Meyer-Falcke A, Rack R, Eichwede F & Jansing P-J. How noisy are anaesthesia and intensive care medicine? Quantification of the patients' stress, 407
Michaloudis D *see* Woodcock BJ
Mignolet K *see* Wouters PF
Miller RD & von Ehrenburg W. The contribution of muscle relaxants to the advancement of anaesthetic practice: what is required of the new compounds?, Supp. 9, 1
Mirakhur RK *see* Cooper AR
Mirakhur RK. Safety aspects of non-depolarizing neuromuscular blocking agents with special reference to rocuronium bromide, Supp. 9, 133
Mirakhur RK, Cooper AR & Clarke RSJ. Onset and intubation conditions of rocuronium bromide compared to those of suxamethonium, Supp. 9, 41
Mirakhur RK, Cooper AR & Maddineni VR. An evaluation of the interactions of rocuronium bromide with antibiotics, Supp. 9, 103
Mirow N *see* Weiss M
Miserez M *see* Wouters PF
Mitterschiffthaler G *see* Khuenl-Brady KS
Mohan JC *see* Tempe D
Moody RA *see* Russell D
Moorman R *see* Cameron EM
Moritz A *see* Trubel W
Motsch J, Leuwer M, Pfau M, Zimmerman J & Martin E. Time course of action and recovery of rocuronium bromide in children during halothane anaesthesia—a preliminary report, Supp. 9, 75
Motsch J, Schmidt M, Bach A, Böttiger BW & Böhrer H. Long-term sedation with propofol and green discolouration of the liver, 499
Muir AW *see* Marshall RJ
Muir AW, Anderson KA & Pow E. Interaction between rocuronium bromide and some drugs used during anaesthesia, Supp. 9, 93
Müller J *see* Crozier TA
Munck O *see* Qvist J
Muteki T *see* Ueda N
Mutz NJ *see* Hörmann Ch

Naesh O, Hindberg I, Friis J & Christiansen C. General versus regional anaesthesia and platelet aggregation in minor surgery, 169
Naguib M, Abdulatif M & Al-Ghamdi A. Evaluation of edrophonium and neostigmine as antagonists of rocuronium bromide, Supp. 9, 122
Nakamura T *see* Nonaka A
Nielsen FB *see* Bünemann L
Niemi L, Pitkänen M, Tuominen M & Rosenberg PH. Technical problems and side effects associated with continuous intrathecal or epidural post-operative analgesia in patients undergoing hip arthroplasty, 469
Nigrovic V. Neuromuscular block by vecuronium: simulation with a flow-volume model, 65
Nitschmann P, Oberkogler W, Hertsig M & Schwarz S. Comparison of haemodynamic effects of rocuronium bromide with those of vecuronium in patients undergoing CABG surgery, Supp. 9, 113
Njoo MD *see* van den Broek L
Noe L *see* De Gasperi A
Nonaka A, Kashimoto S, Nakamura T & Kumazawa T. Effects of intravenous anaesthetics on function and metabolism in the isolated rat heart-lung preparation, 213

O'Hanlon J & Allen RW. Inadvertent spinal block during epidural analgesia in an anaesthetized patient, 135

O'Kelly B, Fiset P, Meistelman C & Ecoffey C. Pharmacokinetics of rocuronium bromide in paediatric patients, Supp. 9, 57
Oberkogler W *see* Nitschmann P
Odoom JA *see* Rademaker BMP
Olkkola KT & Tammisto T. Quantitation of the interaction of rocuronium bromide with etomidate, fentanyl, midazolam, propofol, thiopentone and isoflurane using closed-loop feedback control of infusion of rocuronium, Supp. 9, 99
Oris B *see* van Aken H
Ornstein E & Matteo RS. Pharmacokinetics of rocuronium in elderly surgical patients, Supp. 9, 59
Over DC, Pace NA, Shearer VE, White PF & Giesecke AH. Clinical audit of anaesthesia practice and adverse peri-operative events at Parkland Memorial Hospital, Dallas, Texas, 231

Pace NA *see* Over DC
Pearlman A *see* Gurman GM
Peden CJ, Daugherty MO & Zorab JS. Fibreoptic pulse oximetry monitoring of anaesthetized patients during magnetic resonance imaging, 111
Pedersen O *see* Sjøgren P
Perez F *see* Alvarez-Gomez JA
Pernerstorfer T *see* Krafft P
Pfau M *see* Motsch J
Pippa P & Rucci FS. Preferential channelling of anaesthetic solution injected within the perivascular axillary sheath, 391
Pitkänen M *see* Niemi L
Plaud B *see* Meistelman C
Pöll JS. Attendance of the anaesthesiologist to the patient. National recommendations for standard of anaesthetic practice, 489
Porat A *see* Gurman GM
Pow E *see* Muir AW
Pöyhiä R. Opioids in anaesthesia: a questionnaire survey in Finland, 221
Proost JH *see* van den Broek L
Proost JH *see* Wierda JMKH
Prosperi M *see* De Gasperi A
Prys-Roberts C *see* Black AMS
Pühringer F *see* Khuenl-Brady KS
Putensen Ch *see* Hörmann Ch

Qvist J, Brynjolf I & Munck O. The effects of dopamine and noradrenaline on cardiovascular function in patients with acute respiratory failure, 107

Rack R *see* Meyer-Falcke A
Rademaker BMP, Odoom JA, de Wit L Th, Kalkman CJ, ten Brink SA & Ringers J. Haemodynamic effects of pneumoperitoneum for laparoscopic surgery: a comparison of CO_2 with N_2O insufflation, 301
Rezzani S *see* De Gasperi A
Rifat NK *see* Licker M
Ringers J *see* Rademaker BMP
Robertson EN, Hull JM, Verbeek AM & Booij LHDJ. A comparison of rocuronium and vecuronium: the pharmacodynamic, cardiovascular and intra-ocular effects, Supp. 9, 116
Rodríguez G *see* Blanco J
Rodriguez-Roisin R. Pulmonary gas exchange in acute respiratory failure, 5
Rolly G *see* De Mey JC
Romand J-A & Suter PM. Dynamic hyperinflation and intrinsic PEEP during mechanical ventilation, 25
Ros HH *see* Scheffer GJ
Rosenberg PH *see* Niemi L
Rosenwasser R *see* Wendling W
Rossaint R, Gerlach H & Falke KJ. Inhalation of nitric oxide—a new approach in severe ARDS, 43
Roulson CJ *see* Jones RDM
Rucci FS *see* Pippa P
Russell D & Moody RA. A rare cause of intra-operative hypoxaemia, 127

Saada M *see* Cornet JP
Sabbadini D *see* De Gasperi A
Sadel S *see* Wendling W
Satsangi DK *see* Tempe D
Savage DS *see* Marshall RJ
Schaefer H-G *see* Staender S
Scheffer GJ, TenVoorde BJ, Karemaker JM & Ros HH. Effects of epidural analgesia and atropine on heart rate and blood pressure variability: implications for the interpretation of beat-to-beat fluctuations, 75
Schiere S *see* Wierda JMKH
Schily M *see* Gurman GM

Schmidt M *see* Motsch J
Schneider M *see* Weiss M
Schneider MC *see* Hampl KF
Schranz D *see* Krissel J
Schumacher P *see* Staender S
Schwarz S *see* Nitschmann P
Shearer VE *see* Over DC
Sinha SK *see* Tempe D
Sjøgren P, Banning AM, Christensen CB & Pedersen O. Continuous reaction time after single dose, long-term oral and epidural opioid administration, 95
Slavov V *see* Khalil M
Sleigh T *see* Marshall RJ
Sparr HJ, Khuenl-Brady KS & Eriksson LI. Pharmacodynamics and pharmacokinetics of rocuronium following continuous infusion in patients during intravenous anaesthesia, Supp. 9, 63
Staender S, Marsch SCU, Schumacher P & Schaefer H-G. Haemodynamic response to fibreoptic versus laryngoscopic nasotracheal intubation under total intravenous anaesthesia, 175
Sun KO. Spinal anaesthesia following previous spinal surgery, 321
Sury MRJ, Brown JL & Aitken K. Anaesthesia for conjoined twins during magnetic resonance imaging, 139
Suter PM *see* Licker M
Suter PM *see* Romand J-A
Sydow M *see* Burchardi H
Sydow M *see* Crozier TA

Tammisto T *see* Olkkola KT
Tempe D, Mohan JC, Cooper A, Tomar AS, Khanna SK, Satsangi DK, Sinha SK, Bajwa R & Lall NG. Myocardial depressant effect of nitrous oxide after valve surgery, 353
ten Brink SA *see* Rademaker BMP
TenVoorde BJ *see* Scheffer GJ
Thole H *see* Tryba M
Thomas SD & Boyd AH. Prolonged neuromuscular block associated with acute fatty liver of pregnancy and reduced plasma cholinesterase, 245
Thorshauge H *see* Bünemann L
Tobata H *see* Ueda N
Tomar AS *see* Tempe D
Tonkin PA *see* Black AMS
Trubel W, Zwoelfer W, Moritz A, Laczkovics A & Haider W. Cardioprotection by nifedipine cardioplegia during coronary artery surgery, 101
Tryba M, Zorn A, Thole H & Zenz M. Rapid-sequence orotracheal intubation with rocuronium: a randomized double-blind comparison with suxamethonium—preliminary communication, Supp. 9, 44
Tsuda H *see* Ueda N
Tuominen M *see* Niemi L

Ueda N, Masuda Y, Muteki T, Harada H, Tsuda H & Tobata H. Double burst stimulation with submaximal current, 403

Van Aken H, Oris B & Crul JF. Muscle paralysis by rocuronium bromide during halothane, enflurane, isoflurane and total intravenous anaesthesia, Supp. 9, 101
Van Aken HK *see* Wouters PF
van de Velde M *see* Wouters PF
van den Broek L, Proost JH & Wierda JMKH. Early and late reversibility of rocuronium bromide, Supp. 9, 128
van den Broek L, Proost JH, Wierda JMKH, Njoo MD & Hennis PJ. Neuromuscular and cardiovascular effects of neostigmine and methyl-atropine administered at different degrees of rocuronium-induced neuromuscular block, 481
van Leeuwen L *see* Helmers JHJH
Verbeek AM *see* Robertson EN
Versprille A. Basic mechanisms and clinical consequences of cyclic changes in pulmonary blood flow and blood volume during mechanical ventilation, 15
Viars P *see* Cornet JP
Viby-Mogensen J. Dose-response relationship and time course of action of rocuronium bromide in perspective, Supp. 9, 28
Visram AR *see* Irwin MG
Visram AR *see* Jones RDM
von Ehrenburg W *see* Miller RD

Weinstabl C *see* Krafft P
Weiss M, Buhl R, Birkhahn A, Mirow N, Schneider M & Wernet P. Do barbiturates and their solutions

suppress FMLP-induced neutrophil chemiluminescence?, 371
Wendling W, Sadel S, Jimenez D, Rosenwasser R & Buchheit W. Cardiovascular and cerebrovascular effects of the applied Valsalva manoeuvre in anaesthetized neurosurgical patients, 81
Wernet P *see* Weiss M
White PF *see* Fredman B
White PF *see* Over DC
Wierda JMKH *see* Cooper AR
Wierda JMKH *see* van den Broek L
Wierda JMKH, Proost JH, Schiere S & Hommes FDM. Pharmacokinetics and pharmacokinetic/dynamic relationship of rocuronium bromide in humans, Supp. 9, 66
Wolf A *see* Black AMS
Woodcock BJ, Michaloudis D & Young TM. Airway management in dental anaesthesia, 397
Wouters PF, Marcus MAE, Van Aken HK, van de Velde M, Miserez M, Deruyter HA, Mignolet K & Flameng W. Global and regional haemodynamic effects of urapidil in conscious dogs with chronic coronary artery occlusion, 381

Young JD *see* Cameron EM
Young TM *see* Woodcock BJ

Zeiger M. Telling a clear story in a clinical anaesthesiology paper, 313
Zenz M *see* Tryba M
Zimmerman J *see* Motsch J
Zimpfer M *see* Huemer G
Zorab JS *see* Peden CJ
Zorn A *see* Tryba M
Zuurmond WWM *see* Helmers JHJH
Zwoelfer W *see* Trubel W

Keyword Index

ABDOMINAL SURGERY, 449
AGE FACTORS, 181
  drug clearance, Supp. 9, 59
AIRWAY
  resistance, 25
ALLERGIES, Supp. 9, 133
ANAESTHESIA, 169
ANAESTHESIA, 169
  audit, 231
  dental, 397
  depth, 115
  electroconvulsive therapy, 423
  neurosurgical, 81
  obstetric, 115
  outpatient, 397
  paediatric, 307
  seizure duration, 423
  seizure threshold, 423
ANAESTHETIC GASES
  nitrous oxide, 353
ANAESTHETIC TECHNIQUE
  epidural, 169, 193, 221
  epidural analgesia, 75
  spinal, 221
ANAESTHETIC TECHNIQUES, 175
  axillary, 391
  balanced, 301
  brachial plexus, 391
  epidural, 321, 345, 469
  induction, 115
  intravenous, 115
  regional, 391
  spinal, 321, 325, 469
ANAESTHETICS GENERAL
  enflurane, Supp. 9, 101
  halothane, Supp. 9, 101
  isoflurane, Supp. 9, 101
ANAESTHETICS, INTRAVENOUS
  diazepam, 213
  etomidate, Supp. 9, 99
  fentanyl, 81, 89
  flunitrazepam, 213
  ketamine, 115, 213, Supp. 9, 93
  methohexitone, 359, 423
  midazolam, 213
  propofol, 89, 175, 359, 423, 443, 499, Supp. 9, 93, Supp. 9, 99, Supp. 9, 101
  sufentanil, 181
  thiopentone, 115, 371, Supp. 9, 93, Supp. 9, 99
ANAESTHETICS LOCAL
  bupivacaine, 193
ANAESTHETICS VOLATILE
  enflurane, Supp. 9, 107
  halothane, Supp. 9, 25, Supp. 9, 107
  isoflurane, 81, 443, Supp. 9, 107
ANALGESIA
  acute pain service, 417
  epidural, 95
  patient controlled, 221, 413
  post-operative, 345, 461
  pre-emptive, 461
ANALGESIA, ANALGESIC TECHNIQUE
  epidural, 285
  post-operative, 285
ANALGESICS
  alfentanil, 193, 221, 413, Supp. 9, 93, Supp. 9, 101
  bupivacaine, 345, 469
  buprenorphine, 193, 221
  dextropropoxyphene, 221
  diamorphine, 285, 345
  diclofenac, 345
  fentanyl, 221, Supp. 9, 99
  morphine, 95, 193, 221, 413, 469, Supp. 9, 93
  non-steroidal anti-inflammatory drugs, 461
  oxycodone, 221
  pethidine, 221
  sufentanil, 285
ANTAGONISTS
  edrophonium, Supp. 9, 122
  neostigmine, Supp. 9, 122
  neuromuscular relaxants, Supp. 9, 1
ANTIOBIOTICS
  streptomycin, Supp. 9, 93
ATARACTICS
  chlorpromazine, Supp. 9, 93
  diazepam, Supp. 9, 93
  midazolam, Supp. 9, 99

BIPAP
  mechanical, 37
BLOOD

coagulation, 475
glucose, 193
heparin, 475
loss, 475
phenprocoumon, 475
platelet aggregation, 169
polymorphonuclear granulocytes, 371
BLOOD PRESSURE, 75, 81, 381
drug effects, 443, Supp. 9, 116
vascular resistance, 301
BRAIN
blood flow, 81
BRAIN, EEG
spectral edge frequency, 443

CARDIOPULMONARY BYPASS, 353
CARDIOVASCULAR CHANGES, 449
COMPLICATION
arterial desaturation, 127
COMPLICATIONS, Supp. 9, 133
arachnoiditis, 321
awareness, 443
barotrauma, 53
extradural fibrosis, 321
green liver, 499
headache, 325
nausea, 465
pruritus, 417
vomiting, 465

ED_{50}
ED_{90}, Supp. 9, 28
EQUIPMENT
airway, 397
anaesthetic machines, 493
breathing systems, 187
laryngeal mask, 397
malfunctions, 493
nasopharyngeal airway, 397
pre-use check procedures, 493
ventilators, 29
EQUIPMENT EVALUATION, 111
EYE
intra-ocular pressure, Supp. 9, 116

HEART
atrial strips, 123
blood pressure, 175
cardiac output, Supp. 9, 113
cardioplegia, 101
derived indices, 353
ejection fractions, 107
inotropism, 107, 123, 213
myocardial function, 353, 381
nifedipine, 101
pulmonary blood flow, 15
pulmonary blood volume, 15
pulmonary hypertension, 43
pulse rate, 175, Supp. 9, 113
radionuclide cardiography, 107
rate variability, 75
sinus arrhythmia, 75
thermodilution, 107
transoesophageal echocardiography, Supp. 9, 78
vascular pressure, 353, Supp. 9, 113
vascular resistance, Supp. 9, 113
HEART RATE, Supp. 9, 116
HISTORY
neuromuscular relaxants, Supp. 9, 1
HYPNOTICS
diazepam, 365
midazolam, 365

IMMUNE RESPONSE, 371
INTENSIVE CARE
long-term sedation, 499
noise, 407
INTUBATION
fibreoptic, 175
laryngoscopy, 175
tracheal, Supp. 9, 37
INTUBATION TRACHEAL, Supp. 9, 53
Augustine guide™, 207
intubating conditions, Supp. 9, 41
technique, 207
timing, Supp. 9, 44, Supp. 9, 49

KIDNEY
function, Supp. 9, 87

LIVER
cirrhosis, Supp. 9, 85
function, 201, Supp. 9, 87
green colouration, 499

LUNGS
acute respiratory failure, 107
arteriovenous malformations, 127
asthma, 5
blood flow, 15
function, 53, 107
gas exchange, 5, 43
obstructive pulmonary disease, 5
respiratory distress syndrome, 5, 43
respiratory resistance, 25
volume, 25

MEASUREMENT TECHNIQUE
blood pressure, Supp. 9, 113
capnography, 187
cardiac output, 301, Supp. 9, 113
electromyography, Supp. 9, 37
gas tensions, 301
neuromuscular blockade, Supp. 9, 37, Supp. 9, 99, Supp. 9, 122
noise level, 407
pulse oximetry, 307, 397
reaction time, 95
spectral analysis, 75
transoesophageal echocardiography, Supp. 9, 78
VAS, 95

METABOLISM
hyperinsulinism, 193
oxygen consumption, 365

MONITORING
double burst stimulation, 403
neuromuscular blockade, Supp. 9, 33
neuromuscular function, 403, Supp. 9, 37
oxygen saturation, 127
recommendations, 489

NEUROMUSCULAR RELAXANTS
atracurium, Supp. 9, 1
d-tubocurarine, Supp. 9, 1
gallamine, Supp. 9, 1
mivacurium, Supp. 9, 1
pancuronium, Supp. 9, 1, Supp. 9, 78
rocuronium, 481, Supp. 9, 1, Supp. 9, 9, Supp. 9, 16, Supp. 9, 20, Supp. 9, 25, Supp. 9, 28, Supp. 9, 33, Supp. 9, 37, Supp. 9, 41, Supp. 9, 44, Supp. 9, 49, Supp. 9, 53, Supp. 9, 57, Supp. 9, 63, Supp. 9, 75, Supp. 9, 78, Supp. 9, 82, Supp. 9, 85, Supp. 9, 87, Supp. 9, 93, Supp. 9, 99, Supp. 9, 101, Supp. 9, 103, Supp. 9, 107, Supp. 9, 113, Supp. 9, 116, Supp. 9, 122, Supp. 9, 128, Supp. 9, 133
suxamethonium, Supp. 9, 1, Supp. 9, 41, Supp. 9, 44
vecuronium, 65, Supp. 9, 1, Supp. 9, 113, Supp. 9, 116

NEUROMUSCULAR TRANSMISSION, Supp. 9, 1
nerve stimulator, 403
train-of-four, Supp. 9, 75

OPERATING THEATRE
noise, 407

ORGANIZATIONS
National Societies, 489

OXYGEN
consumption, 193, 201

PAIN
pathological, 95
post-operative, 413, 417, 461, 469
surgical, 461

PHARMACODYNAMICS, Supp. 9, 63
antagonism of block, 481
models, 65
renal failure, Supp. 9, 82
rocuronium, Supp. 9, 66

PHARMACODYNAMICS, ANTIBIOTICS
cefuroxime, Supp. 9, 103
metronidazole, Supp. 9, 103
netilmicin, Supp. 9, 103

PHARMACOKINETICS, 181, Supp. 9, 53, Supp. 9, 82, Supp. 9, 85
age factors, Supp. 9, 57, Supp. 9, 59
dose effects, Supp. 9, 66
models, Supp. 9, 57, Supp. 9, 66, Supp. 9, 128
propofol, 89
rocuronium, Supp. 9, 66
steady state, Supp. 9, 63

PHARMACOLOGY
atropine, 75
cumulation, Supp. 9, 25
dopamine, 107
dose-response curve, Supp. 9, 16, Supp. 9, 20, Supp. 9, 28
dose responses, Supp. 9, 9
drug interactions, Supp. 9, 93, Supp. 9, 99, Supp. 9, 107
metoclopramide, 465
nitric oxide, 43

nitroglycerine, 107
noradrenaline, 107
pimobendan, 123
potency, Supp. 9, 9
urapidil, 381
POST-OPERATIVE PERIOD, 449
POTENCY
age, Supp. 9, 28
age effects, Supp. 9, 66
age factors, Supp. 9, 75
dose-response curves, Supp. 9, 93
POTENCY, ANAESTHETIC, 443
ED_{50}, Supp. 9, 101
POTENCY ED_{50}
ED_{95}, Supp. 9, 20
PREMEDICATION, 95
atropine, 307
midazolam, 307
pethidine, 307
PSYCHOLOGICAL RESPONSES, 359

RECOVERY, 443
RESEARCH
animals, Supp. 9, 9

SKELETAL MUSCLE
adductor pollicis, Supp. 9, 33
larynx, Supp. 9, 33
STRESS RESPONSES
adrenaline, 449
catecholamines, 449
cortisol, 449
noradrenaline, 449
oxygen uptake, 449
SURGERY
abdominal aortic, Supp. 9, 78
cardiac, 353
cardiopulmonary bypass, 475
cardiovascular, 101, 475
genitourinary, 325
laparoscopic, 301
orthotopic transplantation, 201
outpatient, 461
spinal, 321
SYMPATHETIC NERVOUS SYSTEM, 75
blockade, 193

TOTAL INTRAVENOUS ANAESTHESIA
fentanyl, 449
midazolam, 449
sufentanil, 449

VENTILATION
airway pressure, 25, 53
artificial, 5, 53
cyclic changes, 15
distribution, 5
failure, 5, 53
gas trapping, 25
intrinsic PEEP, 25
mechanical, 15, 29
pattern, 37
positive end-expiratory pressure, 81
pressure, 29
VOMITING
anti-emetics, 465
incidence, 465

Subject Index

Adenosine, effect on ischaemic muscle pain (Segerdahl *et al.*), 149 (Abs)
Adrenal cortex, effect of xylitol on etomidate suppression of (Schraag *et al.*), 506 (Abs)
Adrenaline, effect of dose on brain recovery following resuscitation (Schmitz *et al.*), 516 (Abs)
AEPs, and explicit and implicit memory following cardiac surgery (Schwender *et al.*), 145 (Abs)
, use as indicator of wakefulness during Caesarean section (Schwender *et al.*), 146 (Abs)
Airway, management of, routine and difficult, new device (Krafft *et al.*), 207
Alfentanil, combination with propofol, comparison with thiopentone/isoflurane/alfentanil, effect on recovery (Schwender *et al.*), 147 (Abs)
, comparison with morphine in PCA (Irwin *et al.*), 413
Anaesthesia, equipotency of, as assessed by EEG spectral edge (Gurman *et al.*), 443
Anaesthetics, intravenous, effect on metabolism in rat heart-lung (Nonaka *et al.*), 213
Analgesia, post-operative, use of naproxen in outpatients (Bünemann *et al.*), 461
, with ketamine, effect on mental status (Pfenninger *et al.*), 254 (Abs)
Anaphylaxis, relationship to plasma histamine level (Duda *et al.*), 505 (Abs)
, Review (Fisher & Baldo), 263
Antibiotics, interaction with rocuronium (Mirakhur *et al.*), Suppl. 9, 103
ARDS, use of nitric oxide (Rossaint *et al.*), 43
Aspirin intolerance, effect of inhalation and intravenous anaesthesia (Novak-Jankovic & Paver-Erzen), 150 (Abs)
Atracurium, infusion controlled by feedback loop (Seabra *et al.*), 253 (Abs)
, maintenance requirement compared with ED_{95} (Erkola *et al.*), 251 (Abs)
Atropine, effect on heart rate and blood pressure variability (Scheffer *et al.*), 75
, methyl, with neostigmine, effects of in reversing rocuronium block (Van den Broek *et al.*), 481
Audit, application to anaesthesia and peri-operative events in Dallas (Over *et al.*), 231
Auditory evoked potentials, (AEPs) and memory in cardiosurgical patients (Schwender *et al.*), 145 (Abs)
, use as indicator of wakefulness during Caesarean section (Schwender *et al.*), 146 (Abs)
Autonomic dystrophy (Budd), 332 (Abs)
Axillary sheath, preferential channelling of solution in (Pippa & Rucci), 391
Beat-to-beat fluctuations, implications of effects of epidural analgesia and atropine (Scheffer *et al.*), 75
Biphasic positive airway pressure (BIPAP) (Hörmann *et al.*), 37
Blood flow, coronary, following intravenous nitroglycerine (Thangathurai *et al.*), 512 (Abs)
, hepatic and renal, effect of propofol and pregnanolone on (Van de Velde *et al.*), 511 (Abs)
Blood loss, effect of coumarin in heart transplantation (Karck & Haverich), 475
Blood pressure, variability of, effects of epidural analgesia and atropine (Scheffer *et al.*), 75
Blood, normovolaemic haemodilution in coronary artery stenosis, effect on ST-segment (Herregods *et al.*), 509 (Abs)
, normolaemic haemodilution, effect on blood loss (Moerman *et al.*), 510 (Abs)
, viscosity of, effect on pulmonary vascular flow and blood content (Loer *et al.*), 514 (Abs)
Book Reviews, Acute Pain – Mechanisms and Management (Sinatra, Hord, Ginsberg & Preble), 335
, Anaesthesia and Intensive Care for the Neurosurgical Patient (Walters, Ingram & Jenkinson) 520
, Anaesthesia, Volumes 1 & 2 (Nimmo, Rowbotham & Smith), 520
, Anaesthesia: Review 10 (Kaufman), 335
, Cardiac Anesthesia (Kaplan), 427
, Clinical Anesthesia Procedures of the Massachusetts General Hospital (Eckhardt III & Perese), 519
, Effects on the Baby of Maternal Analgesia and Anaesthesia (Reynolds), 154
, Handbook of Critical Care Pain Management (Hamill & Rowlingson), 336

, Manual of Orthopedic Anesthesia and Related Pain Syndromes (Bernstein & Rosenberg), 429
, MCQ Tutor in Anaesthesia: Clinical Practice (Pinnock & Haden), 427
, Pain and its Relief in Childbirth (Chamberlain, Wraight & Steer), 338
, Patient-Controlled Analgesia. Confidence in Post-operative Pain Control (Heath & Thomas), 337
, Pharmacology for Anaesthetists (Cass & Cass), 428
, Psychology, Pain and Anaesthesia (Gibson), 520
, Resuscitation Handbook (Baskett), 153
Brachial plexus block, preferential channelling of anaesthetic solution in (Pippa & Rucci), 391
Brain, cerebral oxygen saturation, determined by spectroscopy (Eberle *et al.*), 515 (Abs)
Breathing system, enclosed afferent reservoir, determination of onset of rebreathing in (Barrie *et al.*), 187
Bronchoscopy, fibreoptic, using the LMA (Brimacombe), 339 (C)
Bupivacaine, addition to epidural diamorphine for post-operative analgesia (Lowson *et al.*), 345
Caesarean section, use of AEPs to indicate wakefulness (Schwender *et al.*), 146 (Abs)
Cardiac arrest, effect of different doses of adrenaline on brain recovery following (Schmitz *et al.*), 516 (Abs)
Cardioplegia, cardioprotection by nifedipine (Trubel *et al.*), 101
Cardiovascular function, effects of dopamine and noradrenaline in acute respiratory failure (Qvist *et al.*), 107
Cardiovascular system, effects of applied Valsalva manoeuvre in anaesthetized neurosurgical patients (Wendling *et al.*), 81
Cerebrovascular system, effects of applied Valsalva manoeuvre in anaesthetized neurosurgical patients (Wendling *et al.*), 81
Chemiluminescence, effect of barbiturates and solvents in suppression of FMLP-induced (Weiss *et al.*), 371
Children, Chinese, effect of premedication on oxygen saturation in (Jones *et al.*), 307
, time course of action and recovery from rocuronium (Motsch *et al.*), Supp. 9, 75
Cholinesterase, plasma, associated with acute fatty liver of pregnancy and prolonged blockade, Case Report (Thomas & Boyd), 245
Computer, assistance to PCA with alfentanil (Irwin *et al.*), 413
, controlling infusion of atracurium by feedback (Seabra *et al.*), 253 (Abs)
CPR, comparison of doses of adrenaline on recovery (Schmitz *et al.*), 516 (Abs)
Diamorphine, epidural infusions of with and without bupivacaine for post-operative analgesia (Lowson *et al.*), 345
, with bupivacaine, comparison with sufentanil with and without bupivacaine (Black *et al.*), 285
Diazepam, metabolic and subjective responses to (Kirvelä *et al.*, 365
Dopamine, and noradrenaline, effect on cardiovascular function in acute respiratory failure (Qvist *et al.*), 107
Double burst stimulation (DBS), use of submaximal current (Ueda *et al.*), 403
Drug interaction, rocuronium and intravenous induction agents (Olkkola & Tammisto), Supp. 9, 99
, rocuronium with inhalational agents and intravenous agents (Van Aken *et al.*), Supp. 9, 101
, rocuronium and volatile agents (Muir *et al.*), Supp. 9, 93
ECG, ST-segment analysis, effect of haemodilution in the presence of coronary artery stenosis (Herregods *et al.*), 509 (Abs)
, vectorcardiography, use to detect myocardial ischaemia (Gannedahl *et al.*), 507 (Abs)
Echocardiography, trans-oesophageal, assessment of left ventricular function with, A Review (Huemer *et al.*), 437
, transoesophageal, use in pre-operative decision-making (Herregods *et al.*), 508 (Abs)
Edrophonium, comparison with neostigmine as antagonist to rocuronium (Naguib *et al.*), Supp. 9, 122
EEG, spectral edge as index of equipotency of anaesthesia (Gurman *et al.*), 443
Elderly patients, comparison with adults of neuromuscular effects of mivacurium (Mirakhur *et al.*), 251 (Abs)
, pharmacokinetics of rocuronium in (Ornstein & Matteo), Supp. 9, 59

, comparison with young adults, sufentanil pharmacokinetics of (Helmers *et al.*), 181
Electroconvulsive therapy, propofol use in, Case Report (Fredman *et al.*), 423
Embolism, air, value of volume load and PEEP in prevention (Jantzen *et al.*), 257 (Abs)
Epidural analgesia, comparison with intravenous opiates, effect on metabolic response to abdominal surgery (Licker *et al.*), 193
, effect on heart rate and blood pressure variability (Scheffer *et al.*), 75
, inadvertent spinal block during, Case Report (O'Hanlon & Allen), 135
Epidural infusion, of sufentanil and diamorphine with bupivacaine for postoperative pain (Black *et al.*), 285
, using diamorphine with and without bupivacaine for post-operative analgesia (Lowson *et al.*), 345
Epidural opioids, comparison with oral route, effects on continuous reaction time (Sjøgren *et al.*), 95
Epidural, continuous, comparison with continuous intrathecal analgesia for hip arthroplasty (Niemi *et al.*), 469
Equipment, a time-saving checkout procedure for anaesthetic machines (Berge *et al.*), 493
, use of LMA and other airways in dental surgery (Woodcock *et al.*), 397
Etomidate, influence of xylitol on suppression of adrenocortical response (Schraag *et al.*), 506 (Abs)
European Diploma in Anaesthesiology and Intensive Care, 159, 341
Feedback control, of atracurium infusion (Seabra *et al.*), 253 (Abs)
Fentanyl, comparison with sufentanil plus midazolam for TIVA (Crozier *et al.*), 449
, pre-treatment effect on pharmacokinetics of propofol (Gasperi *et al.*), 89
Fibreoptic, comparison with laryngoscopic intubation under TIVA (Staender *et al.*), 175
Gas exchange in acute respiratory failure (Rodriguez-Roisin), 5
Gelatin, comparison with hydroxyethylstarch for coronary grafting (Moerman *et al.*), 517 (Abs)
Haemodilution, effect on ST-segment in coronary artery stenosis (Herregods *et al.*), 509 (Abs)
, normovolaemic, effect on blood loss (Moerman *et al.*), 510 (Abs)
Headache, post-dural puncture, comparison of Sprotte and Yale needles (Harrison & Langham), 325
Heart rate, variability of, effect of epidural analgesia with atropine (Scheffer *et al.*), 75
Heart, asystole, vasovagal, before induction, Case Report (Hampl & Schneider), 131
, cardiomyopathy due to ventricular septal defect in a parturient, Case Report (Devlin *et al.*), 241
, cardiovascular effects of rocuronium and vecuronium in eye surgery (Robertson *et al.*), Supp. 9, 116
, chronic coronary artery occlusion, effects of urapidil in (Wouters *et al.*), 381
, comparison of rocuronium and vecuronium on haemodynamics in CABG surgery (Nitschmann *et al.*), Supp. 9, 113
, effect of nitrous oxide on function after valve surgery (Tempe *et al.*), 353
, effect of pneumo-peritoneum on (Gannedahl *et al.*), 518 (Abs)
, effect of rocuronium on left ventricular function (Cornet *et al.*), Supp. 9, 78
, force distribution in left ventricle, impact of hypertrophy (Fischer *et al.*), 148 (Abs)
, human atrial strips, effect of pimobendan on (Llobell *et al.*), 123
, ischaemia, effect of nitrous oxide on left ventricular end-diastolic pressure in (Dalmas *et al.*), 252 (Abs)
, ischaemic pre-conditioning and myocardial stunning (Van de Velde *et al.*), 508 (Abs)
, left ventricular systolic function, echocardiographic assessment of, Review (Huemer *et al.*), 437
, ventricular septal defect, causing cardiomyopathy in a parturient, Case Report (Devlin *et al.*), 241
, volume loading, as prophylaxis against air embolism (Jantzen *et al.*), 257 (Abs)
, wall motion of, during hypotension with nitroglycerine (Thangathurai *et al.*), 512 (Abs)
Heart-lung preparation, in the rat, effect of intravenous anaesthetics on function and metabolism (Nonaka *et al.*), 213

Histamine, plasma levels, relationship to anaphylactoid reactions (Duda *et al.*), 505 (Abs)
Hydroxyethylstarch, comparison with gelatin for coronary grafting (Moerman *et al.*), 517 (Abs)
Hyperinflation, dynamic, and intrinsic PEEP during mechanical ventilation (Romand & Suter), 25
, during mechanical ventilation (Romand & Suter), 25
Hypervolaemia, effect of nitrous oxide on left ventricular end-diastolic pressure in (Dalmas *et al.*), 252 (Abs)
Hypotension, deliberate, with nitroglycerine, coronary blood flow and ventricular wall motion following (Thangathurai *et al.*), 512 (Abs)
Hypoxaemia, intraoperative, Case Report (Russell & Moody), 127
Ibuprofen, comparison with morphine for post-operative pain (Mansfield *et al.*), 505 (Abs)
Indexes, accuracy of (Fassoulaki & Sarantopoulos), 256 (Abs)
Inhalational agents, interaction with rocuronium (Van Aken *et al.*), Supp. 9, 101
Inspiratory pressure support (Brochard), 29
Intensive care units, management of (Acalovschi), 157 (C)
, management of in Belgium (Heylen *et al.*), 433 (C)
Intravenous anaesthesia, interaction with rocuronium (Van Aken *et al.*), Supp. 9, 101
Intubation, blind oral, use of a new device (Krafft *et al.*), 207
, nasotracheal, haemodynamic response to fibreoptic versus laryngoscopic (Staender *et al.*), 175
Isoflurane, comparison with propofol, assessing equipotency by EGG spectral edge (Gurman *et al.*), 443
Journals, accuracy of subject and author indexes in (Fassoulaki & Sarantopoulos), 256 (Abs)
Ketamine, comparison with thiopentone for induction of anaesthesia in Caesarean section (Krissel *et al.*), 115
, effect of on central temporal summation (Arendt-Nielsen *et al.*), 503 (Abs)
, effect on ischaemic muscle pain (Segerdahl *et al.*), 149 (Abs)
, isomers, effect on mental status of analgesic doses (Pfenninger *et al.*), 254 (Abs)
Ketorolac, use for post-operative analgesia (Lagrou *et al.*), 504 (Abs)
Kidney, different conservation fluids, their effect on haemodynamics (Van den Broucke *et al.*), 513 (Abs)
, renal blood flow velocity, effects of propofol and pregnanolone on (Van de Velde *et al.*), 511 (Abs)
Laryngeal function, assessment after anaesthesia (Maran *et al.*), 144 (Abs)
Laryngeal mask airway, awake fibreoptic bronchoscopy through (Brimacombe), 339 (C)
, use in dental anaesthesia (Woodcock *et al.*), 397
Liver, pharmacokinetics and pharmacodynamics of rocuronium in diseases of (Khalil *et al.*), Supp. 9, 85
, acute fatty of pregnancy, associated with prolonged neuromuscular block, Case Report (Thomas & Boyd), 245
, green discolouration of with propofol, Case Report (Motsch *et al.*), 499
, hepatic blood flow velocity, effect of propofol and pregnanolone on (Van de Velde *et al.*), 511 (Abs)
, transplantation, whole body oxygen uptake as indicator of function (Albaladejo *et al.*), 201
Lung, pulmonary vascular resistance, effect of viscosity (Loer *et al.*), 514 (Abs)
Machines, anaesthetic, evaluation of checkout procedure (Berge *et al.*), 493
Magnetic resonance imaging, anaesthesia for conjoined twins during, Case Report (Sury *et al.*), 139
, use of fibreoptic pulse oximetry during (Peden *et al.*), 111
Measurement technique, non-invasive spectroscopy (Eberle *et al.*), 515 (Abs)
Memory, explicit and implicit, relationship to auditory evoked potentials (Schwender *et al.*), 145 (Abs)
Metabolic response, to abdominal surgery, comparison of epidural analgesia with intravenous opiate infusion (Licker *et al.*), 193
Metabolism, effect of intravenous anaesthetics in the rat heart-lung (Nonaka *et al.*), 213
, effect of oral diazepam and midazolam (Kirvelä *et al.*), 365
Methohexitone, effect on mood (D'Haese *et al.*), 359

Metoclopramide, sustained release, use as prophylaxis of PONV (Elliott *et al.*), 465
Midazolam, metabolic and subjective responses to (Kirvelä *et al.*), 365
, with sufentanil for TIVA (Crozier *et al.*), 449
Mivacurium, neuromuscular effects in the elderly (Mirakhur *et al.*), 251 (Abs)
Model, flow volume to simulate block by vecuronium (Nigrovic), 65
Monitoring, national recommendations on in Europe (Pöll), 489
, neuromuscular function with double burst stimulation (Ueda *et al.*), 403
, noise level (Meyer-Falcke *et al.*), 407
Mood, effect of diazepam and midazolam (Kirvelä *et al.*), 365
, effect of propofol and methohexitone on (D'Haese *et al.*), 359
Morphine, comparison with alfentanil infusion in PCA (Irwin *et al.*), 413
, comparison with ibuprofen for post-operative pain (Mansfield *et al.*), 505 (Abs)
, effect on ischaemic muscle pain (Segerdahl *et al.*), 149 (Abs)
Morphine-6-glucuronide, pharmacokinetics and pharmacodynamics of (Mitchell *et al.*), 256 (Abs)
MRI (magnetic resonance imaging), anaesthesia for conjoined twins during, Case Report (Sury *et al.*), 139
, use of fibreoptic pulse oximetry in (Peden *et al.*), 111
Myocardial stunning, effect of ischaemic pre-conditioning (Van de Velde *et al.*), 508 (Abs)
Naproxen, use in outpatient surgery as analgesic (Bünemann *et al.*), 461
Neostigmine, comparison with edrophonium as antagonist to rocuronium (Naguib *et al.*), Supp. 9, 122
, with methyl-atropine, effects of in reversing rocuronium block (Van den Broek *et al.*), 481
Neuromuscular block, assessment of with DBS using submaximal current (Ueda *et al.*), 403
, comparison of edrophonium with neostigmine in antagonism of rocuronium (Naguib *et al.*), Supp. 9, 122
, early and late reversibility of rocuronium (van den Broek *et al.*), Supp. 9, 128
, effect of mivacurium in the elderly (Mirakhur *et al.*), 251 (Abs)
, prolonged, associated with acute fatty liver of pregnancy, Case Report (Thomas & Boyd), 245
, safety of rocuronium (Mirakhur), Supp. 9, 133
, simulation of vecuronium (Nigrovic), 65
, with pipecuronium, in renal insufficiency, Case Report (Cameron *et al.*), 237
, effect of neostigmine and methyl-atropine on cardiovascular system in reversal of rocuronium block (Van den Broek *et al.*), 481
, using rocuronium, effect on haemodynamics and left ventricular function (Cornet et al.), Supp. 9, 78
, with rocuronium, pharmacokinetics of in cirrhosis (Khalil *et al.*), Supp. 9, 85
, with rocuronium, time course of action and recovery in children (Motsch *et al.*), Supp. 9, 75
Neuromuscular relaxants, contribution to advancement of anaesthetic practice (Miller & von Ehrenburg), Supp. 9, 1
, ED_{95} compared with maintenance doses of atracurium and vecuronium (Erkola *et al.*), 251 (Abs)
Nifedipine cardioplegia, cardioprotection by (Trubel *et al.*), 101
Nitric oxide, use in severe ARDS (Rossaint *et al.*), 43
Nitrous oxide, effect on left ventricular end-diastolic pressure in ischaemia and hypervolaemia (Dalmas *et al.*), 252 (Abs)
, myocardial depressant effect of following valve surgery (Tempe *et al.*), 353
Noise, in anaesthesia and intensive care (Meyer-Falcke *et al.*), 407
Noradrenaline, and dopamine, effect on cardiovascular function in acute respiratory failure (Qvist *et al.*), 107
Notes on Books Received, 600 MCQs in Anaesthesia: Basic Sciences (Goodman & Johnson), 259
, Anaesthesia and the Geriatric Patient – Clinical Anaesthesiology series (Dodds), 155
, Anaesthesia and Uncommon Pediatric Diseases (Katz & Steward), 154
, Hazards and Complications of Anaesthesia (Taylor & Major), 259
, Inhalation Anaesthesia: Clinical Anaesthesiology series (Peter & Conzen), 259

, Mechanisms of Drugs in Anaesthesia (Feldman, Paton & Scurr), 431
, Principles and Practice of Regional Anaesthesia (Wildsmith & Armitage), 431
, Recent Advances in Anaesthesia and Analgesia-18 (Atkinson & Adams), 259
, The Liver and Anaesthesia – Clinical Anaesthesiology series (Strunin & Thomson), 154
Obstetric anaesthesia, Caesarean section, comparison of thiopentone and ketamine for induction (Krissel *et al.*), 115
, prolonged neuromuscular block, associated with acute fatty liver, Case Report (Thomas & Boyd), 245
Obstetrics, cardiomyopathy and VSD peripartum, Case Report (Devlin *et al.*), 241
Operating theatres, noise in (Meyer-Falcke *et al.*), 407
Opiates, intravenous, comparison with epidural analgesia on metabolic response to surgery (Licker *et al.*), 193
, spinal, pharmacology of (Savoia), 331 (Abs)
Opioids, administration by various routes, effects on continuous reaction time of (Sjøgren *et al.*), 95
, questionnaire survey in Finland (Pöyhiä), 221
Oxygen saturation, effect of premedication on (Jones *et al.*), 307
, determined in brain by non-invasive optical spectroscopy (Eberle *et al.*), 515 (Abs)
Oxygen, whole body uptake, following liver transplantation (Albaladejo *et al.*), 201
Paediatrics, pharmacokinetics of rocuronium in (O'Kelly *et al.*), Supp. 9, 57
Pain Centre, development of at Montpellier (Ginies), 330 (Abs)
Pain post-operative, comparison of morphine and alfentanil regimes (Irwin *et al.*), 413
Pain relief services (Pelosi & Buchser), 329 (Abs)
Pain relief, post-operative, use of diamorphine and bupivacaine for (Lowson *et al.*), 345
Pain, classification and documentation of syndromes (Hildebrandt), 329 (Abs)
, acute pain service (Blanco *et al.*), 417
, detection and tolerance thresholds, influence of ketamine (Arendt-Nielsen *et al.*), 503 (Abs)
, in ischaemic muscle, effect of adenosine, ketamine and morphine (Segerdahl *et al.*), 149 (Abs)
, management of in oncology (Hanna), 332 (Abs)
, post-operative, comparison of arginine/ibuprofen with morphine in orthopaedic surgery (Mansfield *et al.*), 505 (Abs)
, efficacy of ketorolac (Lagrou *et al.*), 504 (Abs)
, use of epidural infusions of sufentanil and diamorphine (Black *et al.*), 285
, sympathetic, use of phenatolamine test (Ketumarn & Hamann), 503 (Abs)
Patient-controlled analgesia, comparison of conventional morphine with computer-controlled titration of alfentanil (Irwin *et al.*), 413
, comparison with intramuscular analgesia (Taylor *et al.*), 149 (Abs)
PEEP, intrinsic, during mechanical ventilation (Romand & Suter), 25
Pharmacodynamics, comparison of rocuronium and vecuronium in eye surgery (Robertson *et al.*), Supp. 9, 116
, of morphine-6-glucuronide subcutaneously (Mitchell *et al.*), 256 (Abs)
, of rocuronium (Alvarez-Gomez *et al.*), Supp. 9, 53
, of rocuronium following continuous infusion (Sparr *et al.*), Supp. 9, 63
, of rocuronium, in patients with cirrhosis (Khalil *et al.*), Supp. 9, 85
, of rocuronium, in patients with renal failure (Cooper *et al.*), Supp. 9, 82
Pharmacokinetics, effect of fentanyl pre-treatment on propofol (Gasperi *et al.*), 89
, of rocuronium (Alvarez-Gomez *et al.*), Supp. 9, 53
, of rocuronium (Wierda *et al.*), Supp. 9, 66
, , following continuous infusion (Sparr *et al.*), Supp. 9, 63
, , in children (O'Kelly *et al.*), Supp. 9, 57
, , in the elderly (Ornstein & Matteo), Supp. 9, 59
, , in patients with cirrhosis (Khalil *et al.*), Supp. 9, 85
, , in patients with renal failure (Cooper *et al.*), Supp. 9, 82
, of subcutaneous morphine-6-glucuronide (Mitchell *et al.*), 256 (Abs)
, of sufentanil in adults and elderly patients (Helmers *et al.*). 181

Pharmacology, of rocuronium (Marshall *et al.*), Supp. 9, 9
, of spinal opiates (Savoia), 331 (Abs)
Phenprocoumon, effect on blood loss in heart transplantation (Karck & Haverich), 475
Pimobendan, effect on human right atrial strips and rat left atria (Llobell *et al.*), 123
Pipecuronium, prolonged effect in renal insufficiency, Case Report (Cameron *et al.*), 237
Piroximone, effect on force distribution in left ventricle (Fischer *et al.*), 148 (Abs)
Platelet aggregation, comparison of general and regional anaesthesia (Naesh *et al.*), 169
Pneumoperitoneum, effect on circulation and cardiac output (Gannedahl *et al.*), 518 (Abs)
, comparison of CO_2 and N_2O on haemodynamics (Rademaker *et al.*), 301
PONV, use of sustained release metoclopramide in (Elliott *et al.*), 465
Positive end-expiratory pressure (PEEP), in prophylaxis against venous air embolism (Jantzen *et al.*), 257 (Abs)
Pregnanolone, comparison with propofol on hepatic and renal blood flow velocity (Van de Velde *et al.*), 511 (Abs)
Premedication, effect on oxygen saturation prior to surgery (Jones *et al.*), 307
Propofol, combination with alfentanil, comparison with thiopentone/isoflurane/alfentanil, effect on recovery (Schwender *et al.*), 147 (Abs)
, comparison with isoflurane, assessing equipotency by EEG spectral edge (Gurman *et al.*), 443
, comparison with pregnanolone on hepatic and renal blood flow velocity (Van de Velde *et al.*), 511 (Abs)
, effect on mood (D'Haese *et al.*), 359
, long-term sedation with and green discolouration of liver, Case Report (Motsch *et al.*), 499
, modification of pharmacokinetics of by fentanyl pre-treatment (Gasperi *et al.*), 89
, use for electroconvulsive therapy, Case Report (Fredman *et al.*), 423
Pulmonary blood flow, cyclical changes during mechanical ventilation (Versprille), 15
Pulmonary blood volume, cyclical changes in during mechanical ventilation (Versprille), 15
Pulmonary gas exchange, in acute respiratory failure (Rodriguez-Roisin), 5
Pulse oximetry, fibreoptic, monitoring during magnetic resonance imaging (Peden *et al.*), 111
Reaction time, effects of opioids via various routes (Sjøgren *et al.*), 95
Rebreathing, determination of onset in enclosed afferent reservoir breathing system (Barrie *et al.*), 187
Recovery, of psychomotor and cognitive functions after anaesthesia (Schwender *et al.*), 147 (Abs)
Regional anaesthesia, comparison with general anaesthesia, effect on platelet aggregation (Naesh *et al.*), 169
Regional analgesia, comparison of intrathecal and epidural continuous infusions (Niemi *et al.*), 469
Renal failure, pharmacokinetics of rocuronium in (Cooper *et al.*), Supp. 9, 82
Renal function, effect of anaesthesia, A Review (Burchardi & Kaczmarczyk), 163
Renal insufficiency, effect on neuromuscular blockade with pipecuronium, Case Report (Cameron *et al.*), 237
Respiratory failure, comparison of airway pressure release ventilation and volume control inverse ratio ventilation in (Burchardi *et al.*), 143 (Abs)
, acute, effects of dopamine and noradrenaline on cardiovascular function (Qvist *et al.*), 107
, , mechanical ventilation in (Sykes), 1
, , pulmonary gas exchange in (Rodriguez-Roisin), 5
Resuscitation, evidence of ventilation during compression/decompression in pigs (Prengel *et al.*), 144 (Abs)
Review, Anaphylaxis during anaesthesia: current aspects of diagnosis and prevention (Fisher & Baldo), 263
, Effect of anaesthesia on renal function (Burchardi & Kaczmarczyk), 163
, Telling a clear story in a clinical anaesthesiology paper (Zeiger), 313
, Trans-oesophageal echocardiographic assessment of left ventricular systolic function (Huemer *et al.*), 437
Rocuronium, comparison of action at the *adductor pollicis* and laryngeal muscles (Meistelman *et al.*), Supp. 9, 33

, comparison of edrophonium and neostigmine as antagonists to (Naguib *et al.*), Supp. 9, 122
, comparison with suxamethonium on intubating conditions (Mirakhur *et al.*), Supp. 9, 41
, comparison with vecuronium in coronary artery surgery (Nitschmann *et al.*), Supp. 9, 113
, comparison with vecuronium on intra-ocular pressures (Robertson *et al.*), Supp. 9, 116
, cumulative properties of (Khuenl-Brady *et al.*), Supp. 9, 25
, dose finding study (Booij), Supp. 9, 16
, dose-response relationship (Mellinghoff *et al.*), Supp. 9, 20
, dose-response relationship and time course (Viby-Mogensen), Supp. 9, 28
, early and late reversibility of (van den Broek, *et al.*), Supp. 9, 128
, in the presence of organ failure (Bevan), Supp. 9, 87
, interaction with antibiotics (Mirakhur *et al.*), Supp. 9, 103
, interaction with inhalational agents and intravenous agents (Van Aken *et al.*), Supp. 9, 101
, interaction with intravenous induction agents (Olkkola & Tammisto), Supp. 9, 99
, interaction with isoflurane (Olkkola & Tammisto), Supp. 9, 99
, interaction with volatile anaesthetics (Agoston), Supp. 9, 107
, interactions with inhalational anaesthetic agents (Muir *et al.*), Supp. 9, 93
, onset and intubating conditions with (Feldman), Supp. 9, 49, (DeMey *et al.*), Supp. 9, 37
, pharmacodynamics and pharmacokinetics of with continuous infusion (Sparr *et al.*), Supp. 9, 63
, pharmacokinetics and pharmacodynamics of (Alvarez-Gomez *et al.*), Supp. 9, 53
, pharmacokinetics and pharmacokinetic/dynamic relationship of (Wierda *et al.*), Supp. 9, 66
, pharmacokinetics of in children (O'Kelly *et al.*), Supp. 9, 57
, pharmacokinetics of in the elderly (Ornstein & Matteo), Supp. 9, 59
, pharmacology of in animals (Marshall *et al.*), Supp. 9, 9
, rapid-sequence tracheal intubation, comparison with suxamethonium (Tryba *et al.*), Supp. 9, 44
, reversal by neostigmine and methyl-atropine, cardiovascular effects of (Van den Broek *et al.*), 481
, safety of (Mirakhur), Supp. 9, 133
, time course of action and recovery in children (Motsch *et al.*), Supp. 9, 75
Sedation, long-term with propofol, effect on colour of liver (Motsch *et al.*), 499
Selenium, serum concentration and low T_3 syndrome after trauma (Berger *et al.*), 254 (Abs)
Simulation, of neuromuscular block with vecuronium (Nigrovic), 65
Spectroscopy, non-invasive, use for determining cerebral oxygen saturation (Eberle *et al.*), 515 (Abs)
Spinal anaesthesia, comparison of Sprotte and Yale needles on incidence of post-dural puncture headache (Harrison & Langham), 325
, following previous spinal surgery, Case Report (Sun), 321
Spinal block, inadvertent, during epidural analgesia, Case Report (O'Hanlon & Allen), 135
Spinal opiates, pharmacology of (Savoia), 331 (Abs)
Spinal, continuous, comparison with epidural route for post-operative analgesia in hip arthroplasty (Niemi *et al.*), 469
Standards, national recommendations, for attendance of anaesthesiologist (Pöll), 489
Stress response, TIVA with sufentanil and midazolam (Crozier *et al.*), 449
Sufentanil, pharmacokinetics in adult and elderly patients (Helmers *et al.*), 181
, with and without bupivacaine, comparison with diamorphine-bupivacaine (Black *et al.*), 285
, with midazolam for TIVA (Crozier *et al.*), 449
Surgery, abdominal aortic, effect of rocuronium on haemodynamics in (Cornet *et al.*), Supp. 9, 78
, abdominal aortic, use of vectorcardiography to detect ischaemia (Gannedahl *et al.*), 507 (Abs)
, CABG, comparison of rocuronium with vecuronium in (Nitschmann *et al.*), Supp. 9, 113
, Caesarean section, comparison of thiopentone with ketamine for induction (Krissel *et al.*), 115
, cardiac, effect of nitrous oxide on myocardial function (Tempe *et al.*), 353

, coronary artery, cardioprotection with nifedipine cardioplegia in (Trubel *et al.*), 101
, coronary bypass grafting, effect of fluid load using gelatin or hydroxyethylstarch (Moerman *et al.*), 517 (Abs)
, dental extraction, use of various airway techniques in (Woodcock *et al.*), 397
, heart transplantation, effect of coumarin (Karck & Haverich), 475
, hip arthroplasty, use of continuous intrathecal or epidural analgesia (Niemi *et al.*), 469
, laparoscopic, comparison of CO_2 and N_2O insufflation (Rademaker *et al.*), 301
, laparoscopic, effect on cardiac performance (Gannedahl *et al.*), 518 (Abs)
, lower abdominal, metabolic response in, comparison of epidural blockade and intravenous opiates (Licker *et al.*), 193
, minor, effect of anaesthesia on platelet aggregation in (Naesh *et al.*), 169
, mitral valve, use of TEE (Herregods *et al.*), 508 (Abs)
, neurosurgery, effects of Valsalva manoeuvre during (Wendling *et al.*), 81
, outpatient, use of NSAID (naproxen) as analgesic (Bünemann *et al.*), 461
Suxamethonium, comparison with rocuronium on intubating conditions (Mirakhur *et al.*), Supp. 9, 41
, rapid-sequence tracheal intubation, comparison with rocuronium (Tryba *et al.*), Supp. 9, 44
Sympathetic pain, diagnosis with phentolamine (Ketumarn & Hamann), 503 (Abs)
T_3 syndrome, low serum selenium in after trauma (Berger *et al.*), 254 (Abs)
Teaching, of fibreoptic intubation, comparison of two methods (Osborn *et al.*), 514 (Abs)
Thiopentone, comparison with ketamine for induction of anaesthesia in Caesarean section (Krissel *et al.*), 115
, suppression of FMLP-induced neutrophil chemiluminescence with (Weiss *et al.*), 371
TIVA (total intravenous anaesthesia), haemodynamic response to fibreoptic and laryngoscopic nasotracheal intubation (Staender *et al.*), 175
, use of sufentanil and midazolam in major abdominal surgery (Crozier *et al.*), 449
, haemodynamic response to fibreoptic intubation in (Staender *et al.*), 175
Tracheal intubation, comparison of rocuronium with suxamethonium (Mirakhur *et al.*), Supp. 9, 41
, conditions produced by rocuronium (Feldman), Supp. 9, 49
, fibreoptic, comparison of teaching methods (Osborn *et al.*), 514 (Abs)
, rapid-sequence with rocuronium, comparison with suxamethonium (Tryba *et al.*), Supp. 9, 44
, time of with rocuronium (DeMey *et al.*), Supp. 9, 37
Transplantation, liver, whole body oxygen uptake in (Albaladejo *et al.*), 201
Trauma, severe, relationship of serum selenium to T_3 syndrome (Berger *et al.*), 254 (Abs)
Twins conjoined, anaesthesia for during magnetic resonance imaging, Case Report (Sury *et al.*), 139
Urapidil, effect on haemodynamics in chronic coronary artery occlusion (Wouters *et al.*), 381
Valsalva manoeuvre, cardiovascular and cerebrovascular effects in anaesthetized neurosurgical patients (Wendling *et al.*), 81
Vasovagal asystole, before induction, Case Report (Hampl & Schneider), 131
Vectorcardiography, use for detection of myocardial ischaemia during surgery (Gannedahl *et al.*), 507 (Abs)
Vecuronium, comparison with rocuronium in patients undergoing coronary artery surgery (Nitschmann *et al.*), Supp. 9, 113
, comparison with rocuronium on intra-ocular pressures (Robertson *et al.*), Supp. 9, 116
, maintenance requirement compared with ED_{95} (Erkola *et al.*), 251
, neuromuscular block with, simulated with flow volume model (Nigrovic), 65
Ventilation, inverse ratio versus airway pressure release in acute lung failure (Burchardi *et al.*), 143 (Abs)
, produced by compression/decompression resuscitation in pigs (Prengel *et al.*), 144 (Abs)
, mechanical (Burchardi & Sydow), 53
, clinical consequences of cyclical changes in pulmonary blood flow and volume (Versprille), 15
, dynamic hyperinflation and intrinsic PEEP in (Romand & Suter), 25

, in acute respiratory failure (Sykes), 1
Ventilatory support, use of BIPAP (Hörmann *et al.*), 37
Volatile anaesthetics, interaction with rocuronium (Agoston), Supp. 9, 107
Xylitol, effect on etomidate-induced adrenocortical suppression (Schraag *et al.*), 506 (Abs)